

09/584.739

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	30370	copper near3 alloy	USPAT; US-PGP UB	2001/12/31 07:16
2	BRS	L2	639801 7	Ag or as or bi or P or Sb or si or Ti	USPAT; US-PGP UB	2001/12/31 07:17
3	BRS	L3	345	1 near3 2	USPAT; US-PGP UB	2001/12/31 07:21
4	BRS	L4	18	3 not (aluminum or al)	USPAT; US-PGP UB	2001/12/31 07:27
5	BRS	L5	3789	1 near5 (ag or silver)	USPAT; US-PGP UB	2001/12/31 07:28
6	BRS	L6	8	5 near5 (Mor or ta or w)	USPAT; US-PGP UB	2001/12/31 07:28
7	BRS	L8	1150	5 near5 (cr or Ni or nickel or chromium)	USPAT; US-PGP UB	2001/12/31 07:29
8	BRS	L9	1147	5 near5 (Ni or nickel or chromium)	USPAT; US-PGP UB	2001/12/31 07:29
9	BRS	L7	10	5 near5 (Mo or ta or w)	USPAT; US-PGP UB	2001/12/31 07:29
10	IS&R	L10	415	("257/762").CCLS.	USPAT; US-PGP UB	2001/12/31 08:05
11	BRS	L11	35	maximum adj solubility adj limit	USPAT; US-PGP UB	2001/12/31 08:06
12	BRS	L12	1	1 same 11	USPAT; US-PGP UB	2001/12/31 08:07

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0
5			0
6			0
7			0
8			0
9			0
10			0
11			0
12			0

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	1086	maximum adj solubility	USPAT; US-PGP UB	2001/12/31 08:07
14	BRS	L14	7	1 same 13	USPAT; US-PGP UB	2001/12/31 08:09
15	BRS	L15	7050	cu near3 alloy	USPAT; US-PGP UB	2001/12/31 08:09
16	BRS	L16	2	15 and 11	USPAT; US-PGP UB	2001/12/31 08:09
17	BRS	L17	2	15 and 16	USPAT; US-PGP UB	2001/12/31 08:09
18	BRS	L18	16	13 and 15	USPAT; US-PGP UB	2001/12/31 08:14
19	IS&R	L19	2470	(("257/751") or ("257/761") or ("257/763") or ("257/764") or ("257/766") or ("257/767")) .CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB	2001/12/31 08:15

	Comments	Error Definition	Errors
13			0
14			0
15			0
16			0
17			0
18			0
19			0